MINERAL SURVEY No. 3838

	ARIZONA Land District.
	FIELD NOTES
	OF THE SURVEY OF THE MINING CLAIM OF
	PINTO VALLLY COMPANY.
	KNOWN AS THE
	RIO PINTO NO. 4 Lode.
G	LOBE Mining District,
GILA	County, ARIZONA, spproximately in
	yed under instructions dated April 1. , 19 22. by Ldwin T. Stewart
	U. S. Mineral Surveyor.
	Claim located Jenuery 1. , 1915.
	Survey commenced April 9, , 1922.
N 2	Survey completed April 10, , 1922.
	Address of claimant 's Attorneys, Morris & Malott, Box 879, Globe, Arizona. DATES OF AMENDED LOCATIONS.
	March 25, 1922.
6822	

Feet.

MINERAL SURVEY NO. 3838.

RIO PINTO NO. 4 Lodge.

Beginning at Cor. No. 1, identical with S.L.Cor. of the location.

A dacite stone, 10 x 10 x 25 ins., chiseled cross at the exact corner and 1-RP4-3838 on the side facing the claim, set 12 ins. in the ground, with mound of stone alongside, whence

The Standard Quarter Corner of Section, 36, T.1 N., R. 13

E., G.& S.R.M., bears S.02°-26'-20"E. 2187.8 ft.

The N.E.Cor. of the Sun Rise lode, preprieted hears

The N.E. Cor. of the Sun Rise lode, unsurveyed, bears N.81°-22'L. 262.8 ft.

Cor. No. 2, Mayflower lode, Sur. 3837, identical with Cor. No. 2, Lucky Charlie lode, Sur. 2525, bears S.53°-11'-30"W. 904.6 ft.

No other bearings available.

Thence N.56°-16'W.

300.00 To S.W.L.C. monument of the location, from which the discovery shaft-bears N.33°-48'L. 847.5 ft.

A monument of stone, 3.5 ft. base, 3 ft. high.

599.90 To Cor. No. 2, identical with S.W.Cor. of the location.

A pine post, 4 ins. sq., 3.5 ft. long, with neil at the exact corner, scribed 2-RP4-3838 on the side facing the claim, set on bed rock and surrounded by a mound of stone, whence

A cedar tree, 18 ins. in diameter, blazed and scribed cross B. T. 3838, bears N.24°-37'W. 22.2_ft.

No other bearings available.

Thence N.33°-48'E.

lll.80 Intersect the northeast side line of the Sun Rise lode, unsurveyed, N.60°+58'W. 796.6 ft. from the N.E.Cor.

865.20 Intersect line 1-2, Pinto lode, Sur. 2690, N.65°-25'W.
433.5 ft. from Cor. No. 1. - -

1472.90 Intersect lines 3-4 and 1-2, respectively, of Pinto lode,
Sur. 2690, and Crown Point No. 1 lode, of Sur. 2840, N.65 22'W. 336.6 ft. from Cor. No.4 of said Pinto lode, and

N.65°-22'W. 142.8 ft. from Cor. No.1 of said Crown Point No. 1 lode.

1495.50 To Cor. No. 3, identical with N.W.Cor. of the location.

On line 1-2, Red Wing lode, Sur. 2676, S.56°-16'E. 50.5

ft. from Cor. No. 2.

A granite stone, 6 x 9 x 27 ins., chiseled cross at the exact corner and 3-RP4-3838 on the side facing the claim, set 12 ins. in the ground, with mound of stone alongside, whence

Cor. No. 1, Pinto lode, Sur. 2690, bears S.03°-32'-30"E.

No other bearings available.

Thence S. 56°-16'L.

Along line 2-1, Red Wing lode, Sur. 2676.

- 141.00 To Cor. No.1, Crown Point No. 1 lode, Sur. 2840, and intersect line 2-4, Pinto lode, Sur. 2690, N.65°-22'W. 193.8 ft. from Cor. No. 4.
- 299.90 To N.E.c. monument of the location.

 A pine post, 4 ins. sq., 4 ft. long, with nail at the exact point; scribed N.E.c. C.-RP4-3838, set 18 ins. in the ground, with mound of stone.
- 337.30 Intersect line 4-1, Pinto lode, Sur. 2690, N.24°-38'E.

 568.5 ft. from Cor. No. 1. and S.24°-38'W. 31.05 ft.

 from Cor. No. 4.

599.90 To Cor. No. 4, identical with N.L. Cor. of the location

- 521.00 Bed of Pinto Creek, draining northerly.
- and Cor. No. 3, White Horse lode, Sur. 2676.

 On line 1-2; Red Wing lode, Sur. 2676.

 The post at this corner of the White Horse lode having rotted off flush with the ground, I accepted the center of the remaining part of the post as the corner and set a schist stone, 6 x 7 x 27 ins.; chiseled cross at the exact corner, 3-2676-WHL on the side facing the White Horse lode, and 4-RP4-3838 on the side facing this claim, 12 ins. in the ground, and erected a mound of stone alongside.

abol camin blow to f.co. . to more. . It alabo . 'ss

A granite stone, 1.5 x 3 x 3.5 ft. out of the ground, chiseled cross B.R.-3838, bears S.06°-01'E. 7.65 ft.

No other bearings available.

Thence S.33°-48'W.

Along line 3-2 of said White Horse lode.

85.00 Bed of Pinto Creek, draining northerly:

300.00 To N.W.E.C. of said White Horse lode.

599.60 To Cor. No. 2 of said White Horse lode, identical with Cor. No.3, Hobo lode, also of Sur. 2676.

Along line 3-2 of said Hobe lode.

900.20 To N.W. E. C. of said Hobo lode.

1200.20 To Cor. No. 2 of said Hobo lode.

1334.35 Intersect the northeast side line of the Sun Rise lode, unsurveyed, N.60°-58'W.194.6 ft. from the N.E.Cor.

1495.50 To Cor. No. 1, the place of beginning.

Mean magnetic variation at all corners, 13°-45'E.

LODE LINE.

As near as can be determined from present developments, the vein of this location extends N.33°-48'E. 648.0 ft. and S.33°-48'W. 847.5 ft. from the discovery point.

0000000000000000000000000

20.596

AKLAS.

Total area Rio Pinto No. 4 lode,
Area in conflict with:
Pinto lode, Sur. 2690, 5.232
Crown Point No.1 lode, Sur. 2840. 0.037
Sun Rise lode, unsurveyed, . . . 1.879

LOCATION.

This survey is located on unsurveyed land in what will probably be, when surveyed, section 36, T. I N., R. 13 E., G.& S.R.M., Globe Mining District, Gila County, Arizona, in the Crook National Forest.

0000000000000000000000

ADJOINING AND CONFLICTING CLAIMS.

The Crown Point No. 1 lode, of Sur. 2840, owned by

the Crown Point Copper Company; and the Red Wing lode, of Sur. 2676, owned by the claimant, conflict and adjoin on the northeast. The White Horse and Hobo lodes, of Sur. 2676, owned by the claimant; and the Dictator lode, uns., owned by Carl Eder, adjoin on the southeast. The Sun Rise lode, unsurveyed, owned by Carl Eder, conflicts on the southwest. And, the Pinto lode, Sur. 2690, owned by the claimant; and the Rambler lode, unsurveyed, owned by Carl Eder, conflict and adjoin on the northwest.

DISCOVERY AND IMPROVEMENTS.

I certify that the value of the labor and improvements made upon this claim, by the claimant or its grantors, are of the value set forth herein, and that said improvements consist of:

No. 1, the discovery, shaft. 5 x 7 x 8 ft., the center of which is on the lode line 847.5 ft. from the S.W.E.C. Value, \$45.00.

No. 2, 33.5 ft. of cut and tunnel, 3.5 x 6 ft., the center of the toe of which bears S.60°-38'W. 201.0 ft. from a point on line 4-1, 139.4 ft. from Cor. No. 4, and which extends thence S.58°W. to face. Value, \$200.00.

No. 3/5 x 5 x 15 ft., timbered, the N.E. Cor. of which bears S.64°-43'W. 191.0 ft. from the above described point. Value, \$175.00.

Prior to the expiration of the period of publication of the claimant's notice of application for patent, report will be made of additional work to be performed in order to bring the total value of improvements up to \$500.00.

OTHER IMPROVEMENTS.

A shaft, 5 x 7 x 8 ft., the S.E. Cor. of which bears

N.52°-17'W. 239.2 ft. from a point on line 4-1, 638.0

ft. from Cor. No. 4. This shaft is not credited to the claim on account of having been made prior to its location.

INSTRUMENT AND DETERMINATION OF MERIDIAN.

This survey was made with a $6\frac{1}{4}$ inch Berger transit. The distances were measured with a 660 foot steel tape, and the courses were deflected from the true meridian as determined by direct Solar observations.

REPORT.

The standard quarter corner of section 36, T. 1 N., R. 13 E., G.& S.R.M., to which tie is given from Cor. No. 1, is a set schist stone, showing 4 x 9 x 7 ins. out of the ground, chiseled cross at the exact corner and SC \frac{1}{4} on the north face, with mound of stone alongside. The tie to this corner was computed from a traverse run from Cor. No.1 S.03°-05'W. 1492.4 ft.; thence S.34°-11'E. 183.5 ft.; thence S.09°-32'E. 254.1 ft.; thence S.05°-30'E. 294.5 ft. to the quarter corner.

Sur. 2676, Red Wing, White Horse and Hobo lodes:

Cor. No.1 of the Red Wing lode, Cor. No. 2 of the White Horse lode and Cors. Nos. 2 and 3 of the Hobo lode are all 4 x 4 posts, properly set and scribed. I find Cor. No. 2 of the Red Wing lode and Cor. No. 3 of the White Horse lode rotted off flush with the ground and I accepted the center of the remaining parts of the posts for the corner points. The disagreement between these notes and line 1-2 of the Red Wing lode, line 2-3 of the White Horse lode and line 2-3 of the Hobo lode, as approved, and these lines as reported herein, is due to errors in Sur. 2676.

Sur. 2840, Crown Point No.1 lode:

Cors. 1 and 2 of this claim are 4 x 4 posts, properly set and scribed. There is a nominal disagreement between the bearing of line 1-2 of this claim as approved, and as reported herein. The disagreement between the bearing of line 1-2 of the Red Wing lode, Sur. 2676, as reported herein, and this line as reported in the returns of Sur. 2840, is due to error in Sur. 2840.

3 to want

Sur. 2690, Pinto lode:

All of the corners of this claim ate 4 x 4 posts, properly set and scribed. The disagreement between these notes and lines 1-2 and 4-1 is due to errors in Sur. 2690. I find the bearing of lime 3-4 correct as approved.

Sun Rise lode, unsurveyed.

The N.L. and N.W. corners of this claim are monuments of stone.

Sur. 3837, Mayflower lode and Sur. 2525, Lucky Charlie lode:

Cor. No. 2 of said Mayflower lode, which is identical with Cor. No. 2 of the Lucky Charlie lode, is a cedar tree, properly scribed.

The disagreement between these notes and the location notice is due to errors in the notice.

Edwi T. Stewars
United States Mineral Surveyor.

Globe, Arizona, January 23, 1928.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the	names of the individuals em	ployed by Edwin T. Stewart
United States Mi	neral Surveyor, to assist in	running, measuring, and marking the lines, corners, and
boundaries describ	bed in the foregoing field not	tes of the survey of the mining claim of
	PINTO V	AILLY CO.
known as the	RIO PINTO	NO. 4 Lode.
	respective capacities in which	
		Rudolph Wolf , Chainman.
		, Chainman.
		, Awman.
		, Flagman.
	-	
	FINAL OATH	IS OF ASSISTANTS.
WL		
		, do solemnly swear that we assisted
		s Mineral Surveyor, in marking the corners and surveying
the boundaries of	the mining claim of	INTO VALILY CO.
known as the		e.
represented in the	e foregoing field notes as have	ving been surveyed by said mineral surveyor and under his
direction; and the	at said survey has been in all	respects, to the best of our knowledge and belief, faithfully
and correctly exec	uted, and the corner and boun	dary monuments established according to law and the instruc-
tions furnished by	the United States Surveyor-G	Heneral for Arizona
		Rudoyah. Mac, Chainman.
		, Chainman.
		, Axman.
		, Flagman
	Subscribed and gworn to b	y the above-named persons before me this 23rd
		y viio abovo namou porsons socioto ine unis
	day of JENUERY	, 1928
75.20	My Commission Expi November 12, 1924.	res M. L. Marrison
	, ,	Notery Public, Gila County, Arizona. 6-1043

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Edwin T. Stewart , U. S. Mineral Surveyor							
do solemnly swear that, in pursuance of instructions received from the United States							
Surveyor General for Arizona , dated							
April 1, 1922. , I have, in strict conformity to the laws of the							
United States, the official regulations and instructions thereunder, and the instructions							
of said Surveyor General, faithfully and correctly executed the survey of the Mining							
Claim of Pinto Valley Co.							
, known as the							
Rio Pinto No. 4 lode							
situate in Globe Mining District,							
Gila County, Arizona, Spirox, in Section							
36 , Township No. 1N. , Range No. 13 E., G. & S.R.M., uns.							
and designated as Survey No. 3838 , as represented							
in the foregoing field notes, which accurately show the boundaries of said mining claim							
as distinctly marked by monuments on the ground, and described in the attached copy							
of the location certificate, which was received by me from the Surveyor General with							
said instructions, and that all the corners of said survey have been established and per-							
petuated in strict accordance with the law, official regulations and instructions there-							
under; and I do further solemnly swear that the foregoing are the true and original							
field notes of said survey and my report therein, and that the labor expended and							
improvements made upon said mining claim by claimant oritsgrantors							
are as therein fully stated, and that the character, extent, location, and itemized value							
thereof are specified therein with particularity and full detail, and that no portion of							
said labor or improvements so credited to this claim has been included in the estimate							
of expenditures upon any other claim.							
Eawin P. Stewars.							
U. S. Mineral Surveyor.							
Subscribed and sworn to by the said <u>adwin T. Stewart</u>							
U. S. Mineral Surveyor, before me I.M. Harrison, a Notary Public,							
in and for Gila County, Arizona, this 23rd							
day of							
My Commission Expires November 12, 1924. M. L. Harrison							
Notery Public, Gila County, Arizona.							

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,	
	March 23 , 19	2.3
I, U. S. Surveyor-G	eneral for District of Arizona	
do hereby certify that th	e foregoing transcript of the Field Notes, return and approval of the sur	vey
of the mining claim of		
***************************************	Pinto Valley Co.	
known as the	RIO PINTO NO. 4 Lode	
situate in	Globe	
Mining District,	Gila County, Arizona	
	, Township No. 1 N., Range No. 13 E., Unsur.,	
	, has been correctly copied from the originals on file	
	ld Notes furnish such an accurate description of said mining claim as will	
	at, serve fully to identify the premises, and that such reference is made ther	
	nanent monuments as will perpetuate and fix the <i>locus</i> thereof. less than y that five hundred dollars' worth of labor has been expended or impro-	ve-
	ining claim by claimant orits grantors, and that said improvement	
	of survey, 2 shafts, 1 cut and tunnel, total	
	id labor or improvements has been included in the estimate of expenditur	
pon any other claim.		
I further certify that	the plat thereof, filed in the U.S. Land Office at Phoenix.	
	is correct and in conformity with the foregoing Field Notes.	
	Frank P. Trott	
	United States Surveyor-General for Arizona.	

7361b5m3-03

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

		Phoenix, Arizona,
		March 24 , 192 3
I, U. S. Surveyor Gene	eral forDistri	ict of Arizona
do hereby certify that the	foregoing and hereto attached Field	d Notes and Return of the Survey of the
Mining Claim of		
	Pinto Valley Co.	
		, known as the
	RIO PINTO NO. 4 10	ode
situate in	Globe	mining district,
Gila	County,	Arizona
in Section36	, Township No1	N., Range No. 13 E., Unsu
, design	ated as Survey No	3838
executed by	Edwin T. Stewart	, U. S. Mineral
Surveyor,Apr	<u>il 9 - 10</u>	, 1922, under my instructions dated
April 1	, 1922, have been	a critically examined and the necessary
corrections and explanations	made, and the said Field Notes and	d Return, and the survey they describe,
are hereby approved. The	certified copy of the location certific	icate filed by the applicant for survey is
on file in this office and a tr	rue copy of said certified copy of s	said location certificate is included and
made a part of the transcrip	t of the field notes.	
	-AT	
	Stringe	CIPLYSII

U. S. Surveyor General for Arizons.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

9605 (952) M.S. 3838

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Rio Pinto No.4 lode, Mineral Survey No. 3838, located in section 36, Township 1 North, Range 13 East, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Rio Pinto No. 4 lode, M.S. 3838 was canceled February 16, 1999, by memo 9605 (952) M.S. 3838, which is now a part of the original field notes."

February 16, 1999
Date

Chief Cadastral Surveyor of Arizona